



Gold Street




Conceptual Improvements

Conceptual **Gold Street** Streetscape Improvements



Proposed Demonstration Project



ONE-WAY INTO GOLD STREET FROM SILVER LANE

Gold Street





Choose from multiple marker configurations.

All QWICK KURB Panels and Bollards are



Used Extensively in the Harshest Environments

QWICK KURB® Continuous Curbing with Panels or Bollards has been tested for over 20 years in all weather conditions. Panels can accept 224 square inches of reflective sheeting per side to achieve the highest level of night visibility. In addition, the unique two-part vertical panel with rebounding boot support allows markers to remain upright in the most demanding environments.



Can Withstand Multiple Impacts

Each durable raised curbing element is designed to be anchored to the road surface and interlocked with other elements to create a permanent bond with the roadway. A heavy-duty hook is molded directly into the curb to further strengthen the system.

The two-tier profile is designed to help keep curbing stationary during run overs. In addition, continuous curbing is only 10.5/8" wide




Maintenance-Free COntext Sensitive Design

QWICK KURB Continuous Curbing is designed to be installed year round in all climates. The durable design means maintenance is not required for regular use.

The QWICK KURB System optimizes safety for both bike riders and motorists while preserving the aesthetic of the surrounding environment.

Choose from multiple marker configurations.

All QWICK KURB Panels and Bollards are suitable for bike lane applications.



BIKE LANE CONTINUOUS CURBING AND CHANNELIZING SYSTEM

The QWICK KURB® Continuous Curbing System is ideal for harsh urban environments where high ADT counts are likely. Formidable uprights on top of a raised continuous curb clearly define the intended travel

[Request A Quote](#)

[Request A Quote](#)